

Publications

1. Kuang T, L Tornabene, J Li, J Jiang, P Chakrabartye, J S Spark, G J.P. Naylor, **C Li**, 2018. Phylogenomic analysis on the exceptionally diverse fish clade Gobioidae (Actinopterygii: Gobiiformes) and data-filtering based on molecular clocklikeness. *Molecular Phylogenetics and Evolution*, 128, 192-202.
2. Liu S, Wang C, **Li C**, 2018. Progress in Aquaculture Genetics and Breeding in China. *Journal of World Aquaculture Society*, 49 (2): 272-276.
3. Xia J, Wu H, **Li C**, Wu Y, Liu S, 2018. A new species of *Rhinogobius* (Pisces: Gobiidae), with analyses of its DNA barcode. *Zootaxa* 4407 (4): 553-562.
4. L C. Hughes, G Ortí, Y Huang, Y Sun, C C. Baldwin, A W. Thompson, D Arcila, R Betancur-R, **C Li**, L Becker, N Bellora, X Zhao, X Li, M W, C Fang, B Xie, Z Zhou, H Huang, S Chen, B Venkatesh, and Q Shi, 2018. Comprehensive phylogeny of ray-finned fishes (Actinopterygii) based on transcriptomic and genomic data. *Proceedings of the National Academy of Sciences of the United States of America*, 115(24): 6249-6254. doi:10.1073/pnas.1719358115
5. Li H, Y. He, J. Jiang, Z. Liu, **C. Li**, 2018. Molecular systematics and phylogenetic analysis of the Asian endemic freshwater sleepers (Gobiiformes: Odontobutidae). *Molecular Phylogenetics and Evolution*, 121, 1–11. IF= 4.419
6. Liu J, Jiang J, Song S, Tornabene, L., Chabarria, R., Naylor, G. J. P., **Li, C.**, 2017. Multilocus DNA barcoding - Species Identification with Multilocus Data. *Scientific Reports* 7, 16601. IF= 4.259
7. Song, S., Zhao, J., **Li, C.**, 2017. Species delimitation and phylogenetic reconstruction of the sinipercids (Perciformes: Sinipercidae) based on target enrichment of thousands of nuclear coding sequences. *Molecular Phylogenetics and Evolution*, 111, 44-55. IF= 4.419
8. Corrigan, S., Maisano Delser, P., Eddy, C., Duffy, C., Yang, L., **Li, C.**, Bazinet, A.L., Mona, S., Naylor, G.J., 2017. Historical introgression drives pervasive mitochondrial admixture between two species of pelagic sharks. *Molecular Phylogenetics and Evolution*, 110, 122-126.
9. Wang, Q., Zhang, J., Matsumoto, H., Kim, J., **Li, C.** 2016. Population structure of elongate ilisha *Ilisha elongata* along the Northwestern Pacific Coast revealed by mitochondrial control region sequences. *Fisheries Science*, 82 (5): 771 - 785. doi:10.1007/s12562-016-1018-4. IF= 0.839
10. Yuan H, Jiang J, Jimenez FA, Hoberg EP, Cook JA, Galbreath KE, **Li C.** 2016. Target gene enrichment in the cyclophyllidean cestodes, the most diverse group of tapeworms. *Molecular Ecology Resources*, 16(5):1095-1106. doi: 10.1111/1755-0998.12532. IF= 7.332
11. PM Delser, Corrigan S., Hale M., **Li C.**, Veuille M., Planes S., Naylor G., Mona S. 2016. Population genomics of *C. melanopterus* using target gene capture data: demographic inferences and conservation perspectives. *Scientific Reports*, (6): 33753. doi: 10.1038/srep33753

12. **Chenhong Li**, Shannon Corrigan , Lei Yang , Nicolas Straube , Mark Harris , Michael Hofreiter , William T. White , Gavin Naylor, 2015. DNA Capture Reveals Trans Oceanic Gene Flow in Endangered River Sharks. *Proceedings of the National Academy of Sciences of the United States of America*, 112 (43): 13302–13307. www.pnas.org/cgi/doi/10.1073/pnas.1508735112. IF= 9.423
13. Nicolas Straube, **Chenhong Li**, Julien M. Claes, Shannon Corrigan and Gavin J. P. Naylor, 2015. Molecular phylogeny of Squaliformes and first occurrence of bioluminescence in sharks. *BMC: Evolutionary Biology*, 15:162. DOI 10.1186/s12862-015-0446-6.
14. Nicolas Straube, William T. White, Hsuan-Ching Ho, Elisabeth Rochel, Shannon Corrigan, **Chenhong Li**, Gavin J.P. Naylor, 2014. A DNA sequence-based identification checklist for Taiwanese chondrichthyans. *Zootaxa*, 12/2013; 3752(1): 256-278.
15. H Ma, C Ma, **C Li**, J Lu, X Zou, Y Gong, W Wang, W Chen, L Ma, L Xia. 2015. First mitochondrial genome for the red crab (*Charybdis feriata*) with implication of phylogenomics and population genetics. *Scientific Reports*, (5), 11524.
16. Nicolas Straube, Robin W. Leslie, Paul J. Clerkin, David A. Ebert, Elisabeth Rochel, Shannon Corrigan, **Chenhong Li**, Gavin J.P. Naylor, 2014. On the occurrence of the southern Lanternshark, *Etmopterus granulosus*, off south Africa, with comments on the validity of *E. compagnoi*. **Deep Sea Research Part II Topical Studies in Oceanography**. DOI: 10.1016/j.dsr2.2014.04.004
17. X. Yao, **C. Li**, C. W. Dick, 2013. Exon-primed intron-crossing (EPIC) markers for evolutionary studies of *Ficus* and other taxa in the fig family (Moraceae). *Applications in Plant Sciences*, 1 (10): 1300037.
18. P. R. Ströher, **C. Li** and M. R. Pie, 2013. Exon-primed intron-crossing (EPIC) makers as a tool for ant Phylogeography, *Revista Brasileira de Entomologia*, AHEAD.
19. **Li, C.**, M., Hofreiter, N., Straube, S., Corrigan, G. J. P. Naylor, 2013. Capturing protein-coding genes across highly divergent species. *BioTechniques* 54:321-326. IF= 2.754 IF= 2.754
20. Betancur-R. R, Broughton RE, Wiley EO, Carpenter K, López JA, **Li C**, Holcroft NI, Arcila D, Sanciangco M, Cureton II JC, Zhang F, Buser T, Campbell MA, Ballesteros JA, Roa-Varon A, Willis S, Borden WC, Rowley T, Reneau PC, Hough DJ, Lu G, Grande T, Arratia G, Ortí G., 2013. The Tree of Life and a New Classification of Bony Fishes. *PLOS Currents Tree of Life*. 2013 Apr 18.
21. Broughton RE, Betancur-R. R, **Li C**, Arratia G, Ortí G. Multi-locus phylogenetic analysis reveals the pattern and tempo of bony fish evolution. *PLOS Currents Tree of Life*. 2013 Apr 16.
22. Betancur-R., R., **C. Li**, T. A Munroe, J. A. Ballesteros, G. Ortí. 2013. Addressing gene tree discordance and non-stationarity to resolve a multi-locus phylogeny of the flatfishes (Teleostei: Pleuronectiformes). *Systematic Biology* 62 (5): 763-785.

23. Li, C., Riethoven, J.-J. M., Naylor, G. 2012. EvolMarkers: a database for mining exon and intron markers for evolution, ecology and conservation studies. *Molecular Ecology Resources*, 12(5):967-71. IF= 7.432
24. Li, C., Matthes, K., Garcia, M., Naylor, G. J. P. 2012. Nuclear markers for phylogenetics of chondrichthyes and the problem in rooting phylogeny with distant outgroup. *Molecular Phylogenetics and Evolution*, 63:365-373. IF= 4.066
25. Sommer, J. A., Li, C., Brozek, J., Bessert, M. L., Ortí, G., Berra, T. M., 2011. Low genetic diversity in Nurseryfish, *Kurtus gulliveri* (Perciformes: Kurtidae), and an appraisal of its breeding system using microsatellite loci. *The Beagle, Records of the Museums and Art Galleries of the Northern Territory*, 2011 27: 179-188.
26. Li, C., Betancur-R, R., Smith, Wm. L., Ortí, G. 2011. Monophyly and interrelationships of Snook and Barramundi (Centropomidae sensu Greenwood) and five new markers for fish phylogenetics. *Molecular Phylogenetics and Evolution*, 60: 463-471.
27. Li, C., Ortí, G., Zhao, J., 2010. The phylogenetic placement of siniperoid fishes ("Perciformes") revealed by 11 nuclear loci. *Molecular Phylogenetics and Evolution*, 56: 1096-1104.
28. Li, C., Riethoven, J.-J. M., Ma, L., 2010. Exon-primed intron-crossing (EPIC) markers for non-model teleost fishes. *BMC: Evolutionary Biology*, 10: 90.
29. Li, C., Bessert, M. L., Macrander, J., Ortí, G., 2009. Low variation but strong population structure in mitochondrial control region of the plains topminnow, *Fundulus sciadicus*. *Journal of Fish Biology*, 74: 1037-1048.
30. Li, C., Lu, G., Ortí, G., 2008. Optimal data partitioning and a test case for ray-finned fishes (Actinopterygii) based on ten nuclear loci. *Systematic Biology*, 57(4): 519-539.
31. Wang, C., Li, C., Li, S., 2008. Mitochondrial DNA-inferred population structure and demographic history of the mitten crab (*Eriocheir*, sensu stricto) along the coast of mainland China inferred from mitochondrial loci. *Molecular Ecology*, 17: 3515-3527.
32. Zhao, J., Li, C., Zhao, L., Wang, W., Cao, Y., 2008. Mitochondrial diversity and phylogeography of the Chinese perch, *Siniperca chuatsi* (Perciformes: Siniperidae). *Molecular Phylogenetics and Evolution*, 49(1): 399-404.
33. Li, C., Ortí, G., Zhang, G., Lu, G., 2007. A practical approach to phylogenomics: the phylogeny of ray-finned fish (Actinopterygii) as a case study. *BMC: Evolutionary Biology*, 7: 44.
34. Li, C., Ortí, G., 2007. Molecular phylogeny of Clupeiformes (Actinopterygii) inferred from nuclear and mitochondrial DNA sequences, *Molecular Phylogenetics and Evolution* 44: 386-398.
35. Li, C., Bessert, M. L., Macrander, J., Ortí, G., 2007. Microsatellite loci for the plains topminnow (*Fundulus sciadicus*, Fundulidae). *Molecular Ecology Notes* 7: 691-693.
36. Li, C., Li, S., 2003. Genetically improved farmed Nile tilapia and its new selected generation in China. In: Proceedings of the Third World Fisheries Congress: Feeding

the World with Fish in the Next Millennium--The Balance between Production and Environment. *American Fisheries Society Symposium* 38.

37. Li, S., **Li, C.**, Dey, M., Gagalacb, F., Dunham, R., 2002. Cold tolerance of three strains of Nile tilapia, *Oreochromis niloticus*, in China. *Aquaculture* 213: 123-129.
38. **Li, C.**, Li, S., Xing, Y., Hu, B., Zhao, S., Wu, Z., 2001. Evaluation of culture performances of two crab *Eriocheir sinensis* populations in China. *World Aquaculture Magazine*, 32(3): 15-16, 68-69.
39. Li, S., **Li, C.**, Dey, M., Dunham, R., 1999. Seinability of four strains of Nile tilapia, *Oreochromis niloticus*, in Chinese ponds. *Aquaculture*, 174: 223-227.

Publications in Chinese with English abstracts

40. **Li, C.**, Li, S., Xing, Y., Hu, B., Zhao, S., Wu, Z., 2001. Growth and survival variations and their genotype environment interaction analysis of pond cultured two-year old Chinese mitten crabs, *Eriocheir sinensis* from Yangtze River and Liaohe River. *ACTA Hydrobiologica Sinica*, 26 (4): 335-341.
41. Wang, C., Li, S., **Li, C.**, Zhao, J., 2001. Observation and analysis on appearing difference of precocious crab of Yangtze population and Liaohe population cultured in ponds. *Journal of Lake Sciences*, 13 (1): 57-62.
42. Li, Y., Li, S., Wang, C., **Li, C.**, Zhao, J., 2001. Establishment and application of morphological discrimination model for juveniles *Eriocheir sinensis* from Liaohe, Yangtze and Oujiang rivers. *Journal of Fisheries of China*, 25 (2): 120-126.
43. Zhu, Z., Li, S., **Li, C.**, Han, F., Zhou, P., Jia, J., Ji, Y., 2000. Study on male rate, growth rate and early survival rate of hybrids [*Oreochromis niloticus* X *O. aureus*] from different parental combinations. *Fisheries Science & Technology*, 27(2): 54-58.
44. Li, S., Cai, W., Zuo, S., **Li, C.**, Zhao, J., Wang, C., Chen, G., 2000. Quality analysis of Chinese mitten crab *Eriocheir sinensis* in Yangchenghu Lake. *Journal of Fishery Sciences of China*, 7 (3): 71-74.
45. Wang, C., Li, S., **Li, C.**, Zhao, J., 2000. Comparison on survival rate and growth of juvenile crab of Yangtze population and Liaohe population. *Journal of Shanghai Fisheries University*, 9(2): 111-115.
46. **Li, C.**, Li, S., 1999. Phylogenesis of populations of mitten crabs (*Eriocheir sinensis*, *Eriocheir japonicus*) in six river systems of Mainland China: morphology discriminant analysis. *Journal of Fisheries of China*, 23 (4): 337-342.
47. Li, J., **Li, C.**, Li, S., 1999. The differences of color morphology in Taiwan red tilapia. *Journal of Shanghai Fisheries University*, 8(2): 179-184.
48. **Li, C.**, Wang, C., Li, S., 1998. Discriminant analysis of precocious mitten crabs in early stage using morphological characters. *Fisheries Science & Technology Information*, 25(2): 73-76.

49. Li, S., **Li, C.**, Li, J., 1998. Analysis of morphological variations among strains of Nile tilapia (*Oreochromis niloticus*). *Acta Zoologica Sinica*, 44(4): 450-457.
50. Li, S., **Li, C.**, Li, J., Han, F., Ye, W., Chen, P., Zhou, Z., 1998. On-station evaluation of growing performance of five strains of Nile tilapia. *Journal of Fisheries of China*, 22(4): 314-321.
51. Yang, P., **Li, C.**, 1998. Molting and growth of Chinese mitten crab *Eriocheir sinensis*, raised in plastic cage. *Journal of Shanghai Fisheries University*, 7(1): 159-162.
52. **Li, C.**, Li, S., 1997. The difference in seinability of Nile tilapia. *Fisheries Science & Technology Information*, 24(3):108-109, 11.
53. Li, S., Lu, G., **Li, C.**, Ma, D., Lin, Z., Hu, G., 1997. MtDNA polymorphism analysis of local populations of soft-shelled turtle from east China. *Journal of Fishery Sciences of China*, 4(3): 1-6.
54. Zhao, J., Li, S., **Li, C.**, Li, J., 1997. Study of Biochemical genetic marker of different strains of Nile tilapia, *Oreochromis niloticus*. *Journal of Shanghai Fisheries University*, 6(3): 166-171.
55. Li, S., Li, J., **Li, C.**, Han, F., Ye, W., Chen, P., 1997. On-farm evaluation of GIFT strain of Nile tilapia. *Fisheries Science & Technology Information*, 24(6): 257-262.
56. Li, J., **Li, C.**, Li, S., 1997. Growth performance among different hybrids between *Oreochromis niloticus* and *O. aureus*. *Journal of Shanghai Fisheries University*, 6(3): 166-171.
57. Li, S., Li, C., Lu, G., Li, Y., Ma, D., Lin, Z., Hu, G., 1997. Morphological variation in local populations of soft-shelled turtle from east China. *Journal of Fishery Sciences of China*, 4(5): 1-6.
58. **Li, C.**, Li, S., 1996. Study on low lethal temperature of different strains of Nile tilapia (*Oreochromis niloticus*). *Fisheries Science & Technology Information*, 23(5): 195-198.

Book Chapters

1. Ortí, G, **Li, C.** 2009. Phylogeny and Classification (Chapter 1). pp 1-24 in: Jamieson, B.G.M. (Eds.), *Reproductive Biology and Phylogeny of Fishes*. Science Publishers, Enfield, New Hampshire.
2. Ortí, G, **Li, C.**, Farias, I. P. 2005. Filogenia, filogeografía y estructura poblacional de las especies de *Prochilodus* (Prochilodontidae, Characiformes) en las principales cuencas fluviales de Sudamérica. In: Renno J. -F., García-Dávila C., Duponchelle F. and Nuñez J. (Eds.), *Biología de las Poblaciones de Peces de la Amazonía y Piscicultura*. Comunicaciones del Primer coloquio de la Red de Investigación sobre la Ictiofauna Amazónica, Iquitos, Perú, pp. 116-122.